=> d his full

[FILE 'HOME' ENTERED AT 19:21:21 ON 05 AUG 2008]

FILE 'REGISTRY' ENTERED AT 19:21:40 ON 05 AUG 2008
L1          SCREEN 1993
L2          STRUCTURE UPLOADED
L3          QUE ABB=ON  PLU=ON  L2 AND L1
            D QUERY
L4     16 SEA SSS SAM L3 AND L1
            D SCAN
L5          SCREEN 1993
L6          STRUCTURE UPLOADED
L7          QUE ABB=ON  PLU=ON  L6 AND L5
            D QUERY
L9      1 SEA SSS SAM L6 AND L5
L10    41 SEA SSS FUL L6 AND L5

FILE 'CAPLUS' ENTERED AT 19:24:26 ON 05 AUG 2008
L10    23 SEA ABB=ON  PLU=ON  L9
            D L10 1-33 ABS IBIB HITSTR


FILE HOME

FILE REGISTRY
Property values tagged with IC are from the CIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:    4 AUG 2008  HIGHEST RN 1039562-76-3
DICTIONARY FILE UPDATES:   4 AUG 2008  HIGHEST RN 1038507-75-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2008.

   Please note that search-term pricing does apply when
   conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stdecc/properties.html

FILE CAPLUS

Copyright of the articles to which records in this database refer is
held by the publishers listed in the (PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
15, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 5 Aug 2008  VOL 149 ISS 6
FILE LAST UPDATED: 4 Aug 2008  (20080804/ED)

```
=2  0 12
L2  HAS NO ANSWERS
L3           STR
```



AND  >> 2 N

Structure attributes must be viewed using STN Express query preparation.

```
=3  0 16
L3  HAS NO ANSWERS
L6           STR
```

$$AND \ge 2N$$

Structure attributes must be viewed using STN Express query preparation.